

兔抗 RELA 多克隆抗体

中文名称：兔抗 RELA 多克隆抗体

英文名称：Anti-RELA rabbit polyclonal antibody

别名：p65; NFKB3

相关类别：一抗

抗原：RELA

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplasm in an inactive state by specific inhibitors. Upon degradation of the inhibitor, NF-kappa-B moves to the nucleus and activates transcription of specific genes. NF-kappa-B is composed of NFKB1 or NFKB2 bound to either REL, RELA, or RELB. The most abundant form of NF-kappa-B is NFKB1 complexed with the product of this gene, RELA. Four transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC

Name of antibody:	RELA
Immunogen:	Fusion protein of human RELA
Full name:	v-rel reticuloendotheliosis viral oncogene homolog A (avian)
Synonyms :	p65; NFKB3
SwissProt:	Q04206
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	60 kDa
WB Positive control:	A431 and Jurkat cells
WB Recommended dilution:	200-1000



