

兔抗 UBAC2 多克隆抗体

中文名称: 兔抗 UBAC2 多克隆抗体

英文名称 Anti-UBAC2 rabbit polyclonal antibody

别 名: PHGDHL1

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: UBAC2

反应种属: Human, Mouse

标 记 物: Unconjugate

相关类别: 一抗

克隆类型: rabbit polyclonal

技术规格

otein 2), also known as PHGDHL1 (phosphoglycer ate dehydrogenase-like protein 1), is a 344 amino acid multi-pass membrane protein that contains o ne UBA domain and is expressed as multiple alter natively spliced isoforms. The gene encoding UBA C2 maps to human chromosome 13, which house s over 400 genes, such as BRCA2 and RB1, and c omprises nearly 4% of the human genome. As with most chromosomes, polysomy of part or all of

UBAC2 (ubiquitin-associated domain-containing pr

chromosome 13 is deleterious to development an



	d decreases the odds of survival. Trisomy 13, also known as Patau syndrome, is deadly and the few who survive past one year suffer from permanent neurologic defects, difficulty eating and vulnerabili ty to serious respiratory infections.Restricts traffick ing of FAF2 from the endoplasmic reticulum to li pid droplets.
Applications:	ELISA, IHC
Name of antibody:	UBAC2
Immunogen:	Fusion protein of human UBAC2
Full name:	UBA domain containing 2
Synonyms:	PHGDHL1
SwissProt:	Q8NBM4
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	25-100





