

兔抗 IGF2BP2 多克隆抗体

中文名称：兔抗 IGF2BP2 多克隆抗体

英文名称：Anti-IGF2BP2 rabbit polyclonal antibody

别名：p62, IMP2, IMP-2, VICKZ2

抗原：IGF2BP2

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the IGF-II mRNA-binding protein (IMP) family. The protein encoded by this gene contains several four KH domains and two RRM domains. It functions by binding to the 5' UTR of the insulin-like growth factor 2 (IGF2) mRNA and regulating IGF2 translation. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. May regulate translation of target mRNAs.
Applications:	ELISA, WB, IHC
Name of antibody:	IGF2BP2
Immunogen:	Fusion protein of human IGF2BP2

Full name:	insulin-like growth factor 2 mRNA binding protein 2
Synonyms :	p62, IMP2, IMP-2, VICKZ2
SwissProt:	Q9Y6M1
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human esophagus cancer and human breast cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	66 kDa
WB Positive control:	Jurkat cells
WB Recommended dilution:	200-1000



