

兔抗 IGF2BP3 多克隆抗体

中文名称: 兔抗 IGF2BP3 多克隆抗体

英文名称: Anti-IGF2BP3 rabbit polyclonal antibody

别名: KOC; CT98; IMP3; KOC1; IMP-3; VICKZ3

储存: 冷冻 (-20℃)

抗原: IGF2BP3

宿主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is primarily found in the nucleolus, where it can bind to the 5' UTR of the insulin-like growth factor II leader 3 mRNA and may repress translation of insulin-like growth factor II during late development. The encoded protein contains several KH domains, which are important in RNA binding and are known to be involved in RNA synthesis and metabolism. A pseudogene exists on chromosome 7, and there are putative pseudogenes on other chromosomes.
Applications:	ELISA, WB, IHC
Name of antibody:	IGF2BP3

Immunogen:	Fusion protein of human IGF2BP3
Full name:	insulin like growth factor 2 mRNA binding protein 3
Synonyms:	KOC; CT98; IMP3; KOC1; IMP-3; VICKZ3
SwissProt:	O00425
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human colorectal cancer
IHC Recommend dilution:	100-200
WB Predicted band size:	64 kDa
WB Positive control:	Jurkat and K562 cell lysates
WB Recommended dilution:	500-2000



