

兔抗 NFKB1(Phospho-Ser907) 多克隆抗体

中文名称：兔抗 NFKB1(Phospho-Ser907) 多克隆抗体

英文名称：Anti-NFKB1(Phospho-Ser907) rabbit polyclonal antibody

别名：p50; KBF1; p105; EBP-1; NF-kB1; NFKB-p50; NFkappaB; NF-kappaB; NFKB-p105; NF-kappa-B

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：NFKB1(Phospho-Ser907)

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

NF-kappa-B is a pleiotropic transcription factor present in almost all cell types and is the endpoint of a series of signal transduction events that are initiated by a vast array of stimuli related to many biological processes such as inflammation, immunity, differentiation, cell growth, tumorigenesis and apoptosis. NF-kappa-B is a homo- or heterodimeric complex formed by the Rel-like domain-containing proteins RELA/p65, RELB, NFKB1/p105, NFKB1/p50, REL and NFKB2/p52 and the heterodimeric p65-p50 complex appears to be most abundant one. The dimers bind at kappa-B site

	s in the DNA of their target genes and the individual dimers have distinct preferences for different kappa-B sites that they can bind with distinguishable affinity and specificity.
Applications:	WB, IHC
Name of antibody:	NFKB1(Phospho-Ser907)
Immunogen:	Peptide sequence around phosphorylation site of serine 907(P-L-S(p)-P-A) derived from Human NFκB-p105/p50.
Full name:	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
Synonyms:	p50; KBF1; p105; EBP-1; NF-κB1; NFKB-p50; NfκappaB; NF-κappaB; NFKB-p105; NF-κappa-B
SwissProt:	P19838
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	105 kDa
WB Positive control:	Hela cells lysates untreated or treated with TNF-α
WB Recommended dilution:	500-1000



