

兔抗 NFKBID 多克隆抗体

中文名称：兔抗 NFKBID 多克隆抗体

英文名称：Anti-NFKBID rabbit polyclonal antibody

别名：TA-NFKBH, IkappaBNS

相关类别：一抗

抗原：NFKBID

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

May regulate the expression of IL-2, IL-6, and other cytokines through regulation on NF-kappa-B activity. Functions in the regulation of inflammatory responses. May also regulate TCR-induced negative selection of thymocytes. IkBNS, the nuclear IkB-like protein encoded by Nfkbid, is required for the development of marginal zone and peritoneal B-1 B cells and additionally required for extrafollicular antibody responses to T-independent and -dependent immunogens. IkBNS has been identified as a member of the IkB family of NF-κB inhibitors, which undergoes induction upon TCR signaling. IkBNS mediates both positive and negative gene regulation, depending on individual cell type and/or cytokine.

Applications:	ELISA, WB, IHC
Name of antibody:	NFKBID
Immunogen:	Fusion protein of human NFKBID
Full name:	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, delta
Synonyms :	TA-NFKBH, IkappaBNS
SwissProt:	Q8NI38
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human colon cancer and Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	33 kDa
WB Positive control:	RAW264.7 cells
WB Recommended dilution:	200-1000



