

## 兔抗 NFKBIE 多克隆抗体

中文名称：兔抗 NFKBIE 多克隆抗体

英文名称：Anti-NFKBIE rabbit polyclonal antibody

别名：IKBE

相关类别：一抗

抗原：NFKBIE

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

**Background:**

The protein encoded by this gene binds to components of NF-kappa-B, trapping the complex in the cytoplasm and preventing it from activating genes in the nucleus. Phosphorylation of the encoded protein targets it for destruction by the ubiquitin pathway, which activates NF-kappa-B by making it available to translocate to the nucleus. NFKBIE protein expression is up-regulated following NF-kB activation and during myelopoiesis. NFKBIE is able to inhibit NF-kB-directed transactivation via cytoplasmic retention of REL proteins. NFKB1 or NFKB2 is bou

	nd to REL, RELA, or RELB to form the NF-κB transcripti on factor complex. The NF-κB complex is inhibited by I- kappa-B proteins (NFKBIA or NFKBIB), which inactivate NF-kappa-B by trapping it in the cytoplasm.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	NFKBIE
<b>Immunogen:</b>	Fusion protein of human NFKBIE
<b>Full name:</b>	Nuclear factor of kappa light polypeptide gene enhance r in B-cells inhibitor, epsilon
<b>Synonyms :</b>	IKBE
<b>SwissProt:</b>	O00221
<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human lymphoma and Human esophagus cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	45 kDa
<b>WB Positive control:</b>	PC3 cells
<b>WB Recommended dilution:</b>	200-1000



