

兔抗 IGFBP7 多克隆抗体

- 中文名称：兔抗 IGFBP7 多克隆抗体
- 英文名称：Anti-IGFBP7 rabbit polyclonal antibody
- 别名：AGM, PSF, TAF, FSTL2, IBP-7, MAC25, IGFBP-7, RAMSVPS, IGFBP-7v, IGFBPRP1
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：IGFBP7
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the insulin-like growth factor (IGF)-binding protein (IGFBP) family. IGFBPs bind IGFs with high affinity, and regulate IGF availability in body fluids and tissues and modulate IGF binding to its receptors. This protein binds IGF-I and IGF-II with relatively low affinity, and belongs to a subfamily of low-affinity IGFBPs. It also stimulates prostacyclin production and cell adhesion. Alternatively spliced transcript variants encoding different isoforms have been described for this gene, and one variant has been associated with retinal arterial macroaneurysm
Applications:	ELISA, WB, IHC

Name of antibody:	IGFBP7
Immunogen:	Synthetic peptide of human IGFBP7
Full name:	insulin-like growth factor binding protein 7
Synonyms :	AGM, PSF, TAF, FSTL2, IBP-7, MAC25, IGFBP-7, RAMSVPS, IGF BP-7v, IGFBPRP1
SwissProt:	Q16270
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human breast cancer and Human lung cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	29 kDa
WB Positive control:	Mouse brain tissue
WB Recommended dilution:	500-2000



