

兔抗 RHAG 多克隆抗体

中文名称：兔抗 RHAG 多克隆抗体

英文名称：Anti-RHAG rabbit polyclonal antibody

别名：Rh associated glycoprotein; OHS; RH2; OHST; Rh50; CD241; RH50A; Rh50GP; SLC42A1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：RHAG

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is erythrocyte-specific and is thought to be part of a membrane channel that transports ammonium and carbon dioxide across the blood cell membrane. The encoded protein appears to interact with Rh blood group antigens and Rh30 polypeptides. Defects in this gene are a cause of regulator type Rh-null hemolytic anemia (RH N), or Rh-deficiency syndrome.
Applications:	ELISA, WB, IHC
Name of antibody:	RHAG

Immunogen:	Fusion protein of human RHAG
Full name:	Rh associated glycoprotein
Synonyms:	OHS; RH2; OHST; Rh50; CD241; RH50A; Rh50GP; SLC 42A1
SwissProt:	Q02094
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human cervical cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	44 kDa
WB Positive control:	Hela, NIH/3T3, A172, 293T, K562 and HepG2 cell lysates
WB Recommended dilution:	1000-5000



