

兔抗 IGLL1 多克隆抗体

中文名称：兔抗 IGLL1 多克隆抗体

英文名称：Anti-IGLL1 rabbit polyclonal antibody

别名：immunoglobulin lambda like polypeptide 1; IGO; 14.1; AGM2; IGL1; IGL5; IGLL; IGVPB; CD179b; VPREB2; IGLJ14.1

相关类别：一抗

储存：冷冻 (-20℃)

宿主：Rabbit

抗原：IGLL1

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The preB cell receptor is found on the surface of proB and pre B cells, where it is involved in transduction of signals for cellular proliferation, differentiation from the proB cell to the preB cell stage, allelic exclusion at the Ig heavy chain gene locus, and promotion of Ig light chain gene rearrangements. The preB cell receptor is composed of a membrane-bound Ig mu heavy chain in association with a heterodimeric surrogate light chain. This gene encodes one of the surrogate light chain subunits and is a member of the immunoglobulin gene superfamily. This

	gene does not undergo rearrangement. Mutations in this gene can result in B cell deficiency and agammaglobulinemia, an autosomal recessive disease in which few or no gamma globulins or antibodies are made. Two transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, IHC
Name of antibody:	IGLL1
Immunogen:	Fusion protein of human IGLL1
Full name:	immunoglobulin lambda like polypeptide 1
Synonyms:	IGO; 14.1; AGM2; IGL1; IGL5; IGLL; IGVPB; CD179b; VPREB2; IGLJ14.1
SwissProt:	P15814
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution :	50-200

