

兔抗 IL1RL2 多克隆抗体

中文名称：兔抗 IL1RL2 多克隆抗体

英文名称：Anti-IL1RL2 rabbit polyclonal antibody

别名：interleukin 1 receptor like 2; IL-36R; IL1RRP2; IL-1Rrp2; IL1R-rp2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：IL1RL2

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of the interleukin 1 receptor family. An experiment with transient gene expression demonstrated that this receptor was incapable of binding to interleukin 1 alpha and interleukin 1 beta with high affinity. This gene and four other interleukin 1 receptor family genes, including interleukin 1 receptor, type I (IL1R1), interleukin 1 receptor, type II (IL1R2), interleukin 1 receptor-like 1 (IL1RL1), and interleukin 18 receptor 1 (IL18R1), form a cytokine receptor gene cluster in a region mapped to chromosome 2q12. [provided by RefSeq, Jul 2008]

Applications:	ELISA, WB, IHC
Name of antibody:	IL1RL2
Immunogen:	Fusion protein of human IL1RL2
Full name:	interleukin 1 receptor like 2
Synonyms:	IL-36R; IL1RRP2; IL-1Rrp2; IL1R-rp2
SwissProt:	Q9HB29
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human prostate cancer and Human ovarian cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	65 kDa
WB Positive control:	K562 cell lysate
WB Recommended dilution:	500-2000





