

兔抗 IL2RB 多克隆抗体

中文名称：兔抗 IL2RB 多克隆抗体

英文名称：Anti-IL2RB rabbit polyclonal antibody

别名：CD122; IL15RB; P70-75

相关类别：一抗

抗原：IL2RB

储存：冷冻 (-20℃)

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The interleukin 2 receptor, which is involved in T cell-mediated immune responses, is present in 3 forms with respect to ability to bind interleukin 2. The low affinity form is a monomer of the alpha subunit and is not involved in signal transduction. The intermediate affinity form consists of an alpha/beta subunit heterodimer, while the high affinity form consists of an alpha/beta/gamma subunit heterotrimer. Both the intermediate and high affinity forms of the receptor are involved in receptor-mediated endocytosis and transduction of mitogenic signals from interleukin 2. The protein encoded by this gene represents the

	beta subunit and is a type I membrane protein.
Applications:	ELISA, WB, IHC
Name of antibody:	IL2RB
Immunogen:	Fusion protein of human IL2RB
Full name:	interleukin 2 receptor, beta
Synonyms :	CD122; IL15RB; P70-75
SwissProt:	P14784
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and human cervical cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	61 kDa
WB Positive control:	231, 293T, Raji and hela cells
WB Recommended dilution:	500-2000



