

兔抗 NR3C1(Ab-211) 多克隆抗体

中文名称: 兔抗 NR3C1(Ab-211) 多克隆抗体

英文名称: Anti-NR3C1(Ab-211) rabbit polyclonal antibody

别 名: GR; GCR; GRL; GCCR; GCRST

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: NR3C1(Ab-211)

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

	This gene encodes glucocorticoid receptor, which can func
	tion both as a transcription factor that binds to glucocorti
Background:	coid response elements in the promoters of glucocorticoid
	responsive genes to activate their transcription, and as a r
	egulator of other transcription factors. This receptor is typ
	ically found in the cytoplasm, but upon ligand binding, is
	transported into the nucleus.
Applications:	WB, IHC, IF
Name of antibody:	NR3C1(Ab-211)
Immunogen:	Synthesized non-phosphopeptide derived from human GR



	around the phosphorylation site of serine 211 (N-E-S-P-W) .
Full name:	nuclear receptor subfamily 3, group C, member 1 (glucoco rticoid receptor)
Synonyms:	GR; GCR; GRL; GCCR; GCRST
SwissProt:	P04150
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	86 kDa
WB Positive control:	Hela cells treated with PMA (125ng/ml, 30min) lysate
WB Recommended dilution:	500-3000
IF positive control:	A549 cells
IF Recommend dilution:	100-500







