

兔抗 IL12B 多克隆抗体

中文名称: 兔抗 IL12B 多克隆抗体

英文名称: Anti-IL12B rabbit polyclonal antibody

别 名: interleukin 12B; CLMF; NKSF; CLMF2; IMD28; IMD29; NKSF2; IL-12B

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: IL12B

宿 主: Rabbit

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a subunit of interleukin 12, a cytokine that act s on T and natural killer cells, and has a broad array of biological activities. Interleukin 12 is a disulfide-linked heterodimer compose d of the 40 kD cytokine receptor like subunit encoded by this ge ne, and a 35 kD subunit encoded by IL12A. This cytokine is expre ssed by activated macrophages that serve as an essential inducer of Th1 cells development. This cytokine has been found to be im portant for sustaining a sufficient number of memory/effector Th1 cells to mediate long-term protection to an intracellular pathogen. Overexpression of this gene was observed in the central nervous s ystem of patients with multiple sclerosis (MS), suggesting a role o



| | f this cytokine in the pathogenesis of the disease. The promoter p olymorphism of this gene has been reported to be associated wit h the severity of atopic and non-atopic asthma in children. |
|-----------------------------|--|
| Applications: | ELISA, IHC |
| Name of antibody: | IL12B |
| Immunogen: | Synthetic peptide of human IL12B |
| Full name: | interleukin 12B |
| Synonyms: | CLMF; NKSF; CLMF2; IMD28; IMD29; NKSF2; IL-12B |
| SwissProt: | P29460 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human cervical cancer |
| IHC Recommend dilut ion: | 30-150 |

