

兔抗 NRG2 多克隆抗体

中文名称: 兔抗 NRG2 多克隆抗体

英文名称: Anti-NRG2 rabbit polyclonal antibody

别 名: DON1; HRG2; NTAK

抗 原: NRG2

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

相关类别: 一抗

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a novel member of the neuregulin fam ily of growth and differentiation factors. Through interacti on with the ERBB family of receptors, this protein induces the growth and differentiation of epithelial, neuronal, glial, and other types of cells. The gene consists of 12 exons a nd the genomic structure is similar to that of neuregulin 1, another member of the neuregulin family of ligands. The products of these genes mediate distinct biological processes by acting at different sites in tissues and eliciting different biological responses in cells. This gene is located c lose to the region for demyelinating Charcot-Marie-Tooth disease locus, but is not responsible for this disease. Alter native transcript variants encoding distinct isoforms have



	been described.
Applications:	ELISA, IHC
Name of antibody:	NRG2
Immunogen:	Synthetic peptide of human NRG2
Full name:	neuregulin 2
Synonyms:	DON1; HRG2; NTAK
SwissProt:	O14511
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and human liver cancer
IHC Recommend dilution:	20-100





