

## 兔抗 NRG3 多克隆抗体

中文名称: 兔抗 NRG3 多克隆抗体

英文名称: Anti-NRG3 rabbit polyclonal antibody

别 名: HRG3; pro-NRG3

相关类别: 一抗

储 存: 冷冻(-20℃)

抗原: NRG3

宿 主: Rabbit

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

	This gene is a member of the neuregulin gene family. T
Background:	his gene family encodes ligands for the transmembrane
	tyrosine kinase receptors ERBB3 and ERBB4 - members
	of the epidermal growth factor receptor family. Ligand b
	inding activates intracellular signaling cascades and the i
	nduction of cellular responses including proliferation, mi
	gration, differentiation, and survival or apoptosis. This ge
	ne encodes neuregulin 3 (NRG3). NRG3 has been shown
	to activate the tyrosine phosphorylation of its cognate r
	eceptor, ERBB4, and is thought to influence neuroblast p
	roliferation, migration and differentiation by signalling th
	rough ERBB4.
Applications:	ELISA, WB, IHC



Name of antibody:	NRG3
Immunogen:	Synthetic peptide of human NRG3
Full name:	neuregulin 3
Synonyms:	HRG3; pro-NRG3
SwissProt:	P56975
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human breast cancer and Human brain
IHC Recommend dilution:	50-200
WB Predicted band size:	78 kDa
WB Positive control:	Human fetal brain tissue
WB Recommended dilution:	200-1000





