

兔抗 IL16 多克隆抗体

中文名称: 兔抗 IL16 多克隆抗体

英文名称: Anti-IL16 rabbit polyclonal antibody

别名: LCF; NIL16; PRIL16; prIL-16

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: IL16

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a pleiotropic cytokine t hat functions as a chemoattractant, a modulator of T cell act ivation, and an inhibitor of HIV replication. The signaling pro cess of this cytokine is mediated by CD4. The product of thi s gene undergoes proteolytic processing, which is found to y ield two functional proteins. The cytokine function is exclusively attributed to the secreted C-terminal peptide, while the N-terminal product may play a role in cell cycle control. Cas pase 3 is reported to be involved in the proteolytic processing of this protein. Alternate splicing results in multiple transcript variants.



Applications:	ELISA, IHC
Name of antibody:	IL16
Immunogen:	Synthetic peptide corresponding to a region derived from 13 18-1332 amino acids of human IL16
Full name:	interleukin 16
Synonyms:	LCF; NIL16; PRIL16; prIL-16
SwissProt:	Q14005
ELISA Recommended diluti on:	5000-10000
IHC Positive control:	Human liver cancer;Human tonsil
IHC Recommended dilutio n:	20-100





