

兔抗 UGT8 多克隆抗体

中文名称：兔抗 UGT8 多克隆抗体

英文名称：Anti-UGT8 rabbit polyclonal antibody

级 别：CGT; UGT4

抗 原：UGT8

储 存：冷冻（-20℃）

宿 主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标 记 物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | The protein encoded by this gene belongs to the UDP-glycosyltransferase family. It catalyzes the transfer of galactose to ceramide, a key enzymatic step in the biosynthesis of galactocerebrosides, which are abundant sphingolipids of the myelin membrane of the central and peripheral nervous systems. Alternatively spliced transcript variants have been found for this gene. |
| Applications: | ELISA, IHC |
| Name of antibody: | UGT8 |
| Immunogen: | Synthetic peptide of human UGT8 |
| Full name: | UDP glycosyltransferase 8 |

| | |
|------------------------------------|--------------|
| Synonyms: | CGT; UGT4 |
| SwissProt: | Q16880 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human tonsil |
| IHC Recommend dilution: | 30-150 |



