

## 兔抗 RPL3 多克隆抗体

中文名称：兔抗 RPL3 多克隆抗体

英文名称： Anti-RPL3 rabbit polyclonal antibody

别名： ribosomal protein L3; L3; ASC-1; TARBP-B

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： RPL3

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

Ribosomes, the complexes that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L3P family of ribosomal proteins and it is located in the cytoplasm. The protein can bind to the HIV-1 TAR mRNA, and it has been suggested that the protein contributes to tat-mediated transactivation. This gene is co-transcribed with several small nucleolar RNA

	genes, which are located in several of this gene's introns. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed throughout the genome.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	RPL3
<b>Immunogen:</b>	Fusion protein of human RPL3
<b>Full name:</b>	ribosomal protein L3
<b>Synonyms:</b>	L3; ASC-1; TARBP-B
<b>SwissProt:</b>	P39023
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human cervical cancer and Human lung cancer
<b>IHC Recommend dilution:</b>	30-150
<b>WB Predicted band size:</b>	46 kDa
<b>WB Positive control:</b>	293T, Jurkat and Raji cell lysates
<b>WB Recommended dilution:</b>	500-2000



