

## 兔抗 RPL34 多克隆抗体

中文名称：兔抗 RPL34 多克隆抗体

英文名称： Anti-RPL34 rabbit polyclonal antibody

别名： ribosomal protein L34; L34

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： RPL34

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L34E family of ribosomal proteins. It is located in the cytoplasm. This gene originally was thought to be located at 17q21, but it has been mapped to 4q. Overexpression of this gene has been observed in some cancer cells. Alterna

|                                    |   |
|------------------------------------|---|
|                                    | tive splicing results in multiple transcript variants, all encoding the same isoform. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed throughout the genome. |
| <b>Applications:</b>               | ELISA, IHC  |
| <b>Name of antibody:</b>           | RPL34   |
| <b>Immunogen:</b>                  | Fusion protein of human RPL34   |
| <b>Full name:</b>                  | ribosomal protein L34   |
| <b>Synonyms:</b>                   | L34   |
| <b>SwissProt:</b>                  | P49207  |
| <b>ELISA Recommended dilution:</b> | 5000-10000  |
| <b>IHC positive control:</b>       | Human tonsil  |
| <b>IHC Recommend dilution:</b>     | 25-100  |

