

兔抗 RPL36 多克隆抗体

中文名称: 兔抗 RPL36 多克隆抗体

英文名称: Anti-RPL36 rabbit polyclonal antibody

别 名: L36

抗 原: RPL36

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

反应种属: Human

相关类别: 一抗

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Ribosomes, the organelles that catalyze protein synth esis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinc t proteins. This gene encodes a ribosomal protein th at is a component of the 60S subunit. The protein b elongs to the L36E family of ribosomal proteins. It is located in the cytoplasm. Transcript variants derived f rom alternative splicing exist; they encode the same protein. As is typical for genes encoding ribosomal p roteins, there are multiple processed pseudogenes of



	this gene dispersed through the genome.
Applications:	WB, IHC, IF
Name of antibody:	RPL36
Immunogen:	Synthesized peptide derived from internal of human RPL36.
Full name:	ribosomal protein L36
Synonyms:	L36
SwissProt:	Q9Y3U8
IHC positive control:	Human prostate carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	12 kDa
WB Positive control:	COLO cells lysate
WB Recommended dilution:	500-3000
IF positive control:	A549 cells
IF Recommend dilution:	100-500







