

## 兔抗 NVL 多克隆抗体

中文名称：兔抗 NVL 多克隆抗体

英文名称： Anti-NVL rabbit polyclonal antibody

别名： nuclear VCP-like; NVL2

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： NVL

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | This gene encodes a member of the AAA (ATPases associated with diverse cellular activities) superfamily. Multiple transcript variants encoding different isoforms have been found for this gene. Two encoded proteins, described as major and minor isoforms, have been localized to distinct regions of the nucleus. The largest encoded protein (major isoform) has been localized to the nucleolus and shown to participate in ribosome biosynthesis (PMID: 15469983, 16782053), while the minor isoform has been localized to the nucleoplasm. |
| <b>Applications:</b>     | ELISA, WB, IHC   |
| <b>Name of antibody:</b> | NVL  |
| <b>Immunogen:</b>        | Fusion protein of human NVL  |

|                                    |  |
|------------------------------------|--|
| <b>Full name:</b>                  | nuclear VCP-like                             |
| <b>Synonyms:</b>                   | NVL2   |
| <b>SwissProt:</b>                  | O15381                                       |
| <b>ELISA Recommended dilution:</b> | 5000-10000                                   |
| <b>IHC positive control:</b>       | Human esophagus cancer and Human lung cancer |
| <b>IHC Recommend dilution:</b>     | 50-200                                       |
| <b>WB Predicted band size:</b>     | 95 kDa                                       |
| <b>WB Positive control:</b>        | 293T and Jurkat cell lysates                 |
| <b>WB Recommended dilution:</b>    | 1000-5000                                    |



