

兔抗 OGA 多克隆抗体

中文名称：兔抗 OGA 多克隆抗体

英文名称： Anti-OGA rabbit polyclonal antibody

别名： O-GlcNAcase; MEA5; MGEA5; NCOAT

抗原： OGA

储存： 冷冻（-20℃）

宿主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | The dynamic modification of cytoplasmic and nuclear proteins by O-linked N-acetylglucosamine (O-GlcNAc) addition and removal on serine and threonine residues is catalyzed by OGT (MIM 300255), which adds O-GlcNAc, and MGEA5, a glycosidase that removes O-GlcNAc modifications (Gao et al., 2001 [PubMed 11148210]).[supplied by OMIM, Mar 2008] |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | OGA |
| Immunogen: | Fusion protein of human OGA |
| Full name: | O-GlcNAcase |
| Synonyms: | MEA5; MGEA5; NCOAT |
| SwissProt: | O60502 |

| | |
|---------------------------------|-----------------------|
| IHC positive control: | Human lung cancer |
| IHC Recommend dilution: | 15-50 |
| WB Predicted band size: | 103 kDa |
| WB Positive control: | Mouse pancreas tissue |
| WB Recommended dilution: | 200-1000 |



