

兔抗 PAEP 多克隆抗体

中文名称：兔抗 PAEP 多克隆抗体

英文名称： Anti-PAEP rabbit polyclonal antibody

别名： GD; GdA; GdF; GdS; PEP; PAEG; PP14

相关类别： 一抗

储存： 冷冻 (-20℃)

抗原： PAEP

宿主： Rabbit

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene is a member of the kernel lipocalin superfamily whose members share relatively low sequence similarity but have highly conserved exon/intron structure and three-dimensional protein folding. Most lipocalins are clustered on the long arm of chromosome 9. The encoded glycoprotein has been previously referred to as pregnancy-associated endometrial alpha-2-globulin, placental protein 14, and glycodelin, but has been officially named progesterone-associated endometrial protein. Three distinct forms, with identical protein backbones but different glycosylation profiles, are found in amniotic fluid, foll

	icular fluid and seminal plasma of the reproductive system.
Applications:	ELISA, WB, IHC
Name of antibody:	PAEP
Immunogen:	Fusion protein of human PAEP
Full name:	progestagen-associated endometrial protein
Synonyms :	GD; GdA; GdF; GdS; PEP; PAEG; PP14
SwissProt:	P09466
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and Human brain
IHC Recommend dilution:	100-300
WB Predicted band size:	21 kDa
WB Positive control:	Mouse adrenal gland and liver tissue
WB Recommended dilution:	500-2000



