

## 兔抗 PAFAH2 多克隆抗体

中文名称：兔抗 PAFAH2 多克隆抗体

英文名称：Anti-PAFAH2 rabbit polyclonal antibody

别名：HSD-PLA2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

克隆类型：rabbit polyclonal

抗原：PAFAH2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

### 技术规格

<b>Background:</b>	This gene encodes platelet-activating factor acetylhydrolase isoform 2, a single-subunit intracellular enzyme that catalyzes the removal of the acetyl group at the SN-2 position of platelet-activating factor (identified as 1-O-alkyl-2-acetyl-sn-glycerol-3-phosphorylcholine). However, this lipase exhibits a broader substrate specificity than simply platelet activating factor. Two other isoforms of intracellular platelet-activating factor acetylhydrolase exist, and both are multi-subunit enzymes. Additionally, there is a single-subunit serum isoform of this enzyme.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	PAFAH2
<b>Immunogen:</b>	Synthetic peptide of human PAFAH2
<b>Full name:</b>	platelet-activating factor acetylhydrolase 2, 40kDa
<b>Synonyms :</b>	HSD-PLA2
<b>SwissProt:</b>	Q99487
<b>ELISA Recommended dilution:</b>	2000-10000
<b>IHC positive control:</b>	Human thyroid cancer and Human liver cancer
<b>IHC Recommend dilution:</b>	100-300
<b>WB Predicted band size:</b>	44 kDa
<b>WB Positive control:</b>	231 and Jurkat cells
<b>WB Recommended dilution:</b>	200-1000



