

兔抗 PAK1 (Phospho-Thr212)多克隆抗体

中文名称:	兔抗 PAK1 (Phospho-Thr212)多克隆抗体
英文名称:	Anti-PAK1 (Phospho-Thr212) rabbit polyclonal antibody
别名:	PAKalpha
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
宿主:	Rabbit
抗原:	PAK1 (Phospho-Thr212)
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The activated kinase acts on a variety of targets. Likely to be the GTPase effector that links the Rho-related GTPases to the JNK MAP kinase pathway. Activated by CDC42 and RAC1. Involved in dissolution of stress fibers and reorganization of focal complexes. Involved in regulation of microtubule biogenesis through phosphorylation of TBCB. Activity is inhibited in cells undergoing apoptosis, potentially due to binding of CDC2L1 and CDC2L2.
Applications:	WB, IHC, IF
Name of antibody:	PAK1 (Phospho-Thr212)
Immunogen:	Synthetic peptide of human PAK1 (Phospho-Thr212)

Full name:	p21 protein (Cdc42/Rac)-activated kinase 1 (Phospho-Thr212)
Synonyms :	PAKalpha
SwissProt:	Q13153
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	68 kDa
WB Positive control:	293 cells untreated or treated with forskolin
WB Recommended dilution:	500-1000
IF Positive control:	Hela cells
IF Recommended dilution	100-200



