

## 兔抗 PAK2(Ab-192) 多克隆抗体

中文名称: 兔抗 PAK2(Ab-192) 多克隆抗体

英文名称: Anti-PAK2(Ab-192) rabbit polyclonal antibody

别 名: PAK65; PAKgamma

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: PAK2(Ab-192)

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

	The p21 activated kinases (PAK) are critical effectors that lin
	k Rho GTPases to cytoskeleton reorganization and nuclear si
	gnaling. The PAK proteins are a family of serine/threonine k
	inases that serve as targets for the small GTP binding protei
Background:	ns, CDC42 and RAC1, and have been implicated in a wide r
	ange of biological activities. The protein encoded by this ge
	ne is activated by proteolytic cleavage during caspase-media
	ted apoptosis, and may play a role in regulating the apopto
	tic events in the dying cell.
Applications:	WB
Name of antibody:	PAK2(Ab-192)



Immunogen:	Synthesized non-phosphopeptide derived from human PAK2 around the phosphorylation site of serine 192 (T-K-S(p)-I-Y).
Full name:	p21 protein (Cdc42/Rac)-activated kinase 2
Synonyms:	PAK65; PAKgamma
SwissProt:	Q13177
WB Predicted band size:	58 kDa
WB Positive control:	HepG2 cells treated with serum (20%, 15mins) lysate
WB Recommended dilution:	500-3000

