

兔抗 RXRG 多克隆抗体

中文名称：兔抗 RXRG 多克隆抗体

英文名称： Anti-RXRG rabbit polyclonal antibody

别名： RXRC; NR2B3

相关类别： 一抗

抗原： RXRG

储存： 冷冻（-20℃） 避光

宿主： Rabbit

反应种属： Human Mouse Rat

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:	This gene encodes a member of the retinoid X receptor (RXR) family of nuclear receptors which are involved in mediating the antiproliferative effects of retinoic acid (RA). This receptor forms dimers with the retinoic acid, thyroid hormone, and vitamin D
--------------------	--

	receptors, increasing both DNA binding and transcriptional function on their respective response elements. This gene is expressed at significantly lower levels in non-small cell lung cancer cells. Alternatively spliced transcript variants have been described.
Applications:	WB, IHC, IF
Name of antibody:	RXRG
Immunogen:	Synthesized peptide derived from human Retinoid X Receptor γ antibody.
Full name:	retinoid X receptor, gamma
Synonyms :	RXRC; NR2B3
SwissProt:	P48443
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	51 kDa
WB Positive control:	HepG2 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	Huvec cells
IF Recommend dilution:	100-500



