

兔抗 VCL 多克隆抗体

中文名称：兔抗 VCL 多克隆抗体

英文名称：Anti-VCL rabbit polyclonal antibody

别名：MVCL, CMD1W, CMH15

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：VCL

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Vinculin is a cytoskeletal protein associated with cell-cell and cell-matrix junctions, where it is thought to function as one of several interacting proteins involved in anchoring F-actin to the membrane. Defects in VCL are the cause of cardiomyopathy dilated type 1W. Dilated cardiomyopathy is a disorder characterized by ventricular dilation and impaired systolic function, resulting in congestive heart failure and arrhythmia. Multiple alternatively spliced transcript variants have been found for this gene, but the biological validity of some variants has not been determined.
Applications:	ELISA, WB, IHC

Name of antibody:	VCL
Immunogen:	Synthetic peptide of human VCL
Full name:	vinculin
Synonyms :	MVCL, CMD1W, CMH15
SwissProt:	P18206
ELISA Recommended dilution:	5000-240000
IHC positive control:	Human liver cancer and human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	123 kDa
WB Positive control:	Hela cells
WB Recommended dilution:	1000-4000



