

兔抗 VCP 多克隆抗体

- 中文名称：兔抗 VCP 多克隆抗体
- 英文名称：Anti-VCP rabbit polyclonal antibody
- 别名：p97; TERA; ALS14; IBMPFD; HEL-220; IBMPFD1; HEL-S-70
- 相关类别：一抗
- 抗原：VCP
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of a family that includes putative ATP-binding proteins involved in vesicle transport and fusion, 26S proteasome function, and assembly of peroxisomes. This protein, as a structural protein, is associated with clathrin, and heat-shock protein Hsc70, to form a complex. It has been implicated in a number of cellular events that are regulated during mitosis, including homotypic membrane fusion, spindle pole body function, and ubiquitin-depende

	nt protein degradation.
Applications:	ELISA, WB, IHC
Name of antibody:	VCP
Immunogen:	Fusion protein of human VCP
Full name:	valosin containing protein
Synonyms:	p97; TERA; ALS14; IBMPFD; HEL-220; IBMPFD 1; HEL-S-70
SwissProt:	P55072
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human prostate cancer and human tonsil
IHC Recommend dilution:	25-100
WB Predicted band size:	89 kDa
WB Positive control:	Jurkat , HEPG2 , A431 , A549 , Hela and 231 cell lysates
WB Recommended dilution:	500-2000





