

兔抗 VGF 多克隆抗体

中文名称：兔抗 VGF 多克隆抗体

英文名称： Anti-VGF rabbit polyclonal antibody

相关类别： 一抗

储 存： 冷冻（-20℃）

宿 主： Rabbit

抗 原： VGF

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene is specifically expressed in a subpopulation of neuroendocrine cells, and is upregulated by nerve growth factor. The structural organization of this gene is similar to that of the rat gene, and both the translated and the untranslated regions show a high degree of sequence similarity to the rat gene. The encoded secretory protein also shares similarities with the secretogranin/chromogranin family, however, its exact function is not known. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | VGF |
| Immunogen: | Synthetic peptide of human VGF |
| Full name: | VGF nerve growth factor inducible |

| | |
|-----------------------------|--------------------------------------|
| SwissProt: | O15240 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human thyroid cancer and Human brain |
| IHC Recommend dilution: | 30-150 |
| WB Predicted band size: | 67 kDa |
| WB Positive control: | Raw264.7 cells |
| WB Recommended dilution: | 200-1000 |



