

兔抗 PCBP4 多克隆抗体

中文名称：兔抗 PCBP4 多克隆抗体

英文名称：Anti-PCBP4 rabbit polyclonal antibody

别名：poly(rC) binding protein 4; CBP; LIP4; MCG10

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PCBP4

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

WB Recommended dilution:	200-1000
WB Positive control:	Mouse kidney tissue
WB Predicted band size:	41 kDa
SwissProt:	P57723
Synonyms:	CBP; LIP4; MCG10
Full name:	poly(rC) binding protein 4
Immunogen:	Synthetic peptide of human PCBP4
Name of antibody:	PCBP4
Applications:	ELISA, WB
Background:	This gene encodes a member of the KH-domain protein s ubfamily. Proteins of this subfamily, also referred to as alp

ha-CPs, bind to RNA with a specificity for C-rich pyrimidine regions. Alpha-CPs play important roles in post-transcriptional activities and have different cellular distributions. This gene is induced by the p53 tumor suppressor, and the encoded protein can suppress cell proliferation by inducing apoptosis and cell cycle arrest in G(2)-M. This gene's protein is found in the cytoplasm, yet it lacks the nuclear localization signals found in other subfamily members. Multiple alternatively spliced transcript variants have been described, but the full-length nature for only some has been determined. [provided by RefSeq, Jul 2008]

