

## 兔抗 ITGA2 多克隆抗体

中文名称：兔抗 ITGA2 多克隆抗体

英文名称：Anti-ITGA2 rabbit polyclonal antibody

别名：BR; GPIa; CD49B; HPA-5; VLA-2; VLAA2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：ITGA2

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes the alpha subunit of a transmembrane receptor for collagens and related proteins. The encoded protein forms a heterodimer with a beta subunit and mediates the adhesion of platelets and other cell types to the extracellular matrix. Loss of the encoded protein is associated with bleeding disorder platelet-type 9. Antibodies against this protein are found in several immune disorders, including neonatal alloimmune thrombocytopenia. This gene is located adjacent to a related alpha subunit gene. Alternative splicing results in multiple transcript variants.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	ITGA2
<b>Immunogen:</b>	Synthetic peptide of human ITGA2
<b>Full name:</b>	integrin, alpha 2 (CD49B, alpha 2 subunit of VLA-2 receptor)
<b>Synonyms:</b>	BR; GPIa; CD49B; HPA-5; VLA-2; VLAA2
<b>SwissProt:</b>	P17301
<b>IHC positive control:</b>	Human gastric cancer and human breast cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	129 kDa
<b>WB Positive control:</b>	A431 cells
<b>WB Recommended dilution:</b>	200-1000



