

兔抗 ITGA3 多克隆抗体

中文名称: 兔抗 ITGA3 多克隆抗体

英文名称: Anti-ITGA3 rabbit polyclonal antibody

别名: integrin subunit alpha 3; VL3A; CD49C; FRP-2; GAPB3; ILNEB; MSK18; VCA-2; VLA3a; GAP-B3

储存: 冷冻 (-20℃)

抗原: ITGA3

宿主: Rabbit

反应种属: Human, Mouse

标记物: Unconjugate

相关类别: 一抗

克隆类型: rabbit polyclonal

技术规格

Background:

The gene encodes a member of the integrin alpha chain family of proteins. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain that function as cell surface adhesion molecules. The encoded preprotein is proteolytically processed to generate light and heavy chains that comprise the alpha 3 subunit. This subunit joins with a beta 1 subunit to form an integrin that interacts with extracellular matrix proteins including members of the laminin family. Expression of this gene may be correlated with breast cancer metastasis.

| | |
|------------------------------------|---|
| Applications: | ELISA, IHC |
| Name of antibody: | ITGA3 |
| Immunogen: | Synthetic peptide of human ITGA3 |
| Full name: | integrin subunit alpha 3 |
| Synonyms: | VL3A; CD49C; FRP-2; GAPB3; ILNEB; MSK18; VCA-2; VLA3a; GAP-B3 |
| SwissProt: | P26006 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human liver cancer and Human tonsil |
| IHC Recommend dilution: | 40-200 |



