

兔抗 VIM 多克隆抗体

中文名称：兔抗 VIM 多克隆抗体

英文名称： Anti-VIM rabbit polyclonal antibody

储 存： 冷冻（-20℃）

抗 原： VIM

宿 主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene encodes a type III intermediate filament protein. Intermediate filaments, along with microtubules and actin microfilaments, make up the cytoskeleton. The encoded protein is responsible for maintaining cell shape and integrity of the cytoplasm, and stabilizing cytoskeletal interactions. This protein is involved in neuritogenesis and cholesterol transport and functions as an organizer of a number of other critical proteins involved in cell attachment, migration, and signaling. Bacterial and viral pathogens have been shown to attach to this protein on the host cell surface. Mutations in this gene are associated with cong

| | |
|------------------------------------|-------------------------------------|
| | enital cataracts in human patients. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | VIM |
| Immunogen: | Fusion protein of human VIM |
| Full name: | vimentin |
| SwissProt: | P08670 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human tonsil and Human liver cancer |
| IHC Recommend dilution: | 50-300 |
| WB Predicted band size: | 54 kDa |
| WB Positive control: | Hela cell lysate |
| WB Recommended dilution: | 2000-5000 |



