

兔抗 PDGFRA 多克隆抗体

中文名称: 兔抗 PDGFRA 多克隆抗体

英文名称: Anti-PDGFRA rabbit polyclonal antibody

别 名: CD140A; PDGFR2; PDGFR-2; RHEPDGFRA

相关类别: 一抗

抗 原: PDGFRA

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

反应种属: Human Mouse Rat

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:	This gene encodes a cell surface tyrosine kinase receptor for members of the platelet-derived growth factor family. The se growth factors are mitogens for cells of mesenchymal or igin. The identity of the growth factor bound to a receptor monomer determines whether the functional receptor is a homodimer or a heterodimer, composed of both platelet-d erived growth factor receptor alpha and beta polypeptides. Studies suggest that this gene plays a role in organ development, wound healing, and tumor progression.
Applications:	WB, IHC, IF
Name of antibody:	PDGFRA



Immunogen:	Synthesized peptide derived from internal of human PDGFR α .
Full name:	platelet-derived growth factor receptor, alpha polypeptide
Synonyms:	CD140A; PDGFR2; PDGFR-2; RHEPDGFRA
SwissProt:	P16234
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	123 kDa
WB Positive control:	HepG2 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	Hela cells
IF Recommend dilution:	100-500







