

兔抗 ITPA 多克隆抗体

- 中文名称：兔抗 ITPA 多克隆抗体
- 英文名称：Anti-ITPA rabbit polyclonal antibody
- 别名：My049; C20orf37; dJ794I6.3; HLC14-06-P
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：ITPA
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes an inosine triphosphate pyrophosphohydrolase. The encoded protein hydrolyzes inosine triphosphate and deoxyinosine triphosphate to the monophosphate nucleotide and diphosphate. This protein, which is a member of the HAM1 NTPase protein family, is found in the cytoplasm and acts as a homodimer. Defects in the encoded protein can result in inosine triphosphate pyrophosphorylase deficiency which causes an accumulation of ITP in red blood cells. Alternate splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC

Name of antibody:	ITPA
Immunogen:	Full length fusion protein
Full name:	inosine triphosphatase (nucleoside triphosphate pyrophosphatase)
Synonyms :	My049; C20orf37; dJ794I6.3; HLC14-06-P
SwissProt:	Q9BY32
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human brain and Human liver cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	21 kDa
WB Positive control:	Human fetal liver tissue and Hela cells
WB Recommended dilution:	200-1000



