

## 兔抗 WAPL 多克隆抗体

中文名称：兔抗 WAPL 多克隆抗体

英文名称：Anti-WAPL rabbit polyclonal antibody

级 别：FOE; WAPAL; KIAA0261

抗 原：WAPL

储 存：冷冻（-20℃）

宿 主：Rabbit

相关类别：一抗

反应种属：Human, Mouse

标 记 物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

**Background:**

WAPL (wings apart-like), also known as WAPAL or FOE, is a 1,190 amino acid protein that contains one WAPL domain and is expressed as two alternatively spliced isoforms, one of which localizes to the nucleus. Expressed in an isoform-dependent manner in heart, skeletal muscle and uterine cervix tumor tissue, WAPL is involved in sister-chromatid adhesion and overall cell growth, specifically playing a role in the development and metastasis of cancerous tissue. The gene encoding WAPL maps to human chromosome 10, wh

	ich houses over 1,200 genes and comprises nearly 4.5% of the human genome. Defects in some of the genes that map to chromosome 10 are associated with Charcot-Marie Tooth disease, Jackson-Weiss syndrome, Usher syndrome, nonsyndromic deafness, Wolman's syndrome, Cowden syndrome, multiple endocrine neoplasia type 2 and porphyria.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	WAPL
<b>Immunogen:</b>	Synthetic peptide of human WAPL
<b>Full name:</b>	WAPL cohesin release factor
<b>Synonyms:</b>	FOE; WAPAL; KIAA0261
<b>SwissProt:</b>	Q7Z5K2
<b>ELISA Recommended dilution:</b>	500-1000
<b>IHC positive control:</b>	Human brain and human ovarian cancer
<b>IHC Recommend dilution:</b>	20-100



