

兔抗 WDR4 多克隆抗体

中文名称：兔抗 WDR4 多克隆抗体

英文名称： Anti-WDR4 rabbit polyclonal antibody

别名： WD repeat domain 4; TRM82; TRMT82

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： WDR4

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This gene is excluded as a candidate for a form of nonsyndromic deafness (DFNB10), but is still a candidate for other disorders mapped to 21q22.3 as well as for the development of Down syndrome phenotypes. Alternatively spliced transc

| | |
|------------------------------------|--|
| | ript variants have been found for this gene. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | WDR4 |
| Immunogen: | Fusion protein of human WDR4 |
| Full name: | WD repeat domain 4 |
| Synonyms: | TRM82; TRMT82 |
| SwissProt: | P57081 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human esophagus cancer |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 45 kDa |
| WB Positive control: | TM4 cell lysate |
| WB Recommended dilution: | 500-2000 |



