

## 兔抗 PECAM1(Ab-713) 多克隆抗体

中文名称：兔抗 PECAM1(Ab-713) 多克隆抗体

英文名称： Anti-PECAM1(Ab-713) rabbit polyclonal antibody

别名： CD31; PECA1; GPIIA'; PECAM-1; endoCAM; CD31/EndoCAM

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： PECAM1(Ab-713)

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | The protein encoded by this gene is found on the surface of platelets, monocytes, neutrophils, and some types of T-cells, and makes up a large portion of endothelial cell intercellular junctions. The encoded protein is a member of the immunoglobulin superfamily and is likely involved in leukocyte migration, angiogenesis, and integrin activation. |
| <b>Applications:</b>     | WB, IHC, IF   |
| <b>Name of antibody:</b> | PECAM1(Ab-713)  |
| <b>Immunogen:</b>        | Synthesized non-phosphopeptide derived from human PECA M-1 around the phosphorylation site of tyrosine 713 (T-V-Y (p)-S-E).   |

|                                 |   |
|---------------------------------|---|
| <b>Full name:</b>               | platelet/endothelial cell adhesion molecule 1       |
| <b>Synonyms :</b>               | CD31; PECA1; GPIIA'; PECAM-1; endoCAM; CD31/EndoCAM |
| <b>SwissProt:</b>               | P16284  |
| <b>IHC positive control:</b>    | Human brain tissue                                  |
| <b>IHC Recommend dilution:</b>  | 50-100  |
| <b>WB Predicted band size:</b>  | 83 kDa  |
| <b>WB Positive control:</b>     | Jurkat cells lysate                                 |
| <b>WB Recommended dilution:</b> | 500-3000  |
| <b>IF positive control:</b>     | Hela cells  |
| <b>IF Recommend dilution:</b>   | 100-500   |



