

兔抗 WDR11 多克隆抗体

中文名称：兔抗 WDR11 多克隆抗体

英文名称：Anti-WDR11 rabbit polyclonal antibody

级 别：DR11; HH14; BRWD2; WDR15

储 存：冷冻 (-20℃)

抗 原：WDR11

宿 主：Rabbit

反应种属：Human

相关类别：一抗

标 记 物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This gene is located in the chromosome 10q25-26 region, which is frequently deleted in gliomas and tumors of other tissues, and is

	disrupted by the t(10;19) translocation rearrangement in glioblastoma cells. The gene location suggests that it is a candidate gene for the tumor suppressor locus.
Applications:	ELISA, IHC
Name of antibody:	WDR11
Immunogen:	Synthetic peptide of human WDR11
Full name:	WD repeat domain 11
Synonyms:	DR11; HH14; BRWD2; WDR15
SwissProt:	Q9BZH6
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and human tonsil
IHC Recommend dilution:	25-100





