

兔抗 KANK2 多克隆抗体

中文名称：兔抗 KANK2 多克隆抗体

英文名称：Anti-KANK2 rabbit polyclonal antibody

别名：SIP; MXRA3; ANKRD25

抗原：KANK2

储存：冷冻（-20℃）避光

宿主：Rabbit

反应种属：Human

相关类别：一抗

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	Involved in transcription regulation by sequestering nuclear receptor coactivators, such as NCOA1, NCOA2 and NCOA3, in the cytoplasm; the function is deregulated by phosphorylation. May be involved in the control of cytoskeleton formation by regulating actin polymerization. Involved in regulation of caspase-independent apoptosis; proposed to sequester AIFM1 in mitochondria and apoptotic stimuli lead to its proteasomal degradation allowing the release of AIFM1 to the nucleus. May be involved in promotion of cell proliferation.
Applications:	IHC, IF
Name of antibody:	KANK2

Immunogen:	Synthesized peptide derived from internal of human KANK2.
Full name:	KN motif and ankyrin repeat domains 2
Synonyms :	SIP; MXRA3; ANKRD25
SwissProt:	Q63ZY3
IHC positive control:	Human heart tissue
IHC Recommend dilution:	50-100
IF positive control:	A549 cells
IF Recommend dilution:	100-500



