

兔抗 WDR83 多克隆抗体

中文名称：兔抗 WDR83 多克隆抗体

英文名称： Anti-WDR83 rabbit polyclonal antibody

别名： MORG1

相关类别： 一抗

储存： 冷冻（-20℃）

抗原： WDR83

宿主： Rabbit

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene encodes a member of the WD-40 protein family. The protein is proposed to function as a molecular scaffold for various multimeric protein complexes. The protein associates with several components of the extracellular signal-regulated kinase (ERK) pathway, and promotes ERK activity in response to serum or other signals. The protein also interacts with egl nine homolog 3 (EGLN3, also known as PHD3) and regulates expression of hypoxia-inducible factor 1, and has been purified as part of the spliceosome. Alternative splicing results in multiple transcripts.

	variants.
Applications:	ELISA, WB, IHC
Name of antibody:	WDR83
Immunogen:	Fusion protein of human WDR83
Full name:	WD repeat domain 83
Synonyms :	MORG1
SwissProt:	Q9BRX9
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and human colon cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	34 kDa
WB Positive control:	231 and A172 cells
WB Recommended dilution:	200-1000



