

兔抗 PGAM2 多克隆抗体

中文名称: 兔抗 PGAM2 多克隆抗体

英文名称: Anti-PGAM2 rabbit polyclonal antibody

别 名: phosphoglycerate mutase 2; GSD10; PGAMM; PGAM-M

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: PGAM2

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Phosphoglycerate mutase (PGAM) catalyzes the reversible reaction of 3-phosphoglycerate (3-PGA) to 2-phosphoglycerate (2-PGA) in the glycolytic pathway. The PGAM is a dimeric enzyme containing, in different tissues, different proportions of a slow-migrating muscle (MM) isozyme, a fast-migrating brain (BB) isozyme, and a hybrid form (MB). This gene encodes muscle-specific PGAM subunit. Mutations in this gene cause muscle phosphoglycerate mutase eficiency, also known as glycogen storage disease X.
Applications:	ELISA, WB
Name of antibody:	PGAM2



Immunogen:	Fusion protein of human PGAM2
Full name:	phosphoglycerate mutase 2
Synonyms:	GSD10; PGAMM; PGAM-M
SwissProt:	P15259
ELISA Recommended dilution:	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
WB Predicted band size:	29 kDa
WB Positive control:	NIH/3T3, Jurkat and Hela cell lysates
WB Recommended dilution:	500-2000





