

兔抗 KCNK15 多克隆抗体

中文名称：兔抗 KCNK15 多克隆抗体

英文名称：Anti-KCNK15 rabbit polyclonal antibody

别名：potassium two pore domain channel subfamily K member 15; KT3.3; TASK5; KCNK11; KCNK14; TASK-5; K2p15.1; dJ781B1.1

相关类别：一抗

储存：冷冻 (-20℃)

宿主：Rabbit

抗原：KCNK15

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes one of the members of the superfamily of potassium channel proteins containing two pore-forming P domains. The product of this gene has not been shown to be a functional channel, however, it may require other non-pore-forming proteins for activity.
Applications:	ELISA, WB, IHC
Name of antibody:	KCNK15
Immunogen:	Synthetic peptide of human KCNK15

Full name:	potassium two pore domain channel subfamily K member 15
Synonyms:	KT3.3; TASK5; KCNK11; KCNK14; TASK-5; K2p15.1; dJ781B1.1
SwissProt:	Q9H427
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	25-100
WB Predicted band size:	36 kDa
WB Positive control:	Human muscle tissue lysate
WB Recommended dilution:	1000-5000



