

兔抗 PLAGL1 多克隆抗体

- 中文名称：兔抗 PLAGL1 多克隆抗体
- 英文名称：Anti-PLAGL1 rabbit polyclonal antibody
- 别名：ZAC; LOT1; ZAC1
- 相关类别：一抗
- 储存：冷冻（-20℃）避光
- 宿主：Rabbit
- 抗原：PLAGL1
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：Unconjugate

技术规格

Background:

This gene encodes a C2H2 zinc finger protein with transactivation and DNA-binding activities. It has been shown to have anti-proliferative properties, and thus thought to function as a tumor suppressor. In addition, overexpression of this gene during fetal development is believed to underlie the rare disorder, transient neonatal diabetes mellitus (TNDM). This gene is imprinted, with preferential expression of the paternal allele in many tissues, however, biallelic expression has been noted in peripheral blood leucocytes. A recent study reports that tissue-specific imprinting results from variable utilization of monoallelic and biallelic promoters. Many transcri

	pt variants differing in the 5' UTR and encoding two different isoforms, have been found for this gene
Applications:	WB
Name of antibody:	PLAGL1
Immunogen:	Synthesized peptide derived from internal of human PLAGL1
Full name:	pleiomorphic adenoma gene-like 1
Synonyms :	ZAC; LOT1; ZAC1
SwissProt:	Q9UM63
WB Predicted band size:	51 kDa
WB Positive control:	293 cells lysate
WB Recommended dilution:	500-3000

