

兔抗 PLCG2 (Phospho-Tyr753) 多克隆抗体

中文名称：兔抗 PLCG2 (Phospho-Tyr753) 多克隆抗体

英文名称：Anti-PLCG2 (Phospho-Tyr753) rabbit polyclonal antibody

别名：FCAS3; APLAID

相关类别：一抗

储存：冷冻 (-20℃) 避光

宿主：Rabbit

抗原：PLCG2 (Phospho-Tyr753)

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The production of the second messenger molecules diacylglycerol (DAG) and inositol 1,4,5-trisphosphate (IP3) is mediated by activated phosphatidylinositol-specific phospholipase C enzymes. It is a crucial enzyme in transmembrane signaling.
Applications:	WB, IF
Name of antibody:	PLCG2 (Phospho-Tyr753)
Immunogen:	Synthetic peptide of human PLCG2 (Phospho-Tyr753)
Full name:	phospholipase C, gamma 2 (phosphatidylinositol-specific) (Phospho-Tyr753)
Synonyms :	FCAS3; APLAID

SwissProt:	P16885
WB Predicted band size:	148 kDa
WB Positive control:	HepG2 cells treated with EGF
WB Recommended dilution:	500-1000
IF Positive control:	Hela cells
IF Recommended dilution	100-200



