

兔抗 PLEKHG6 多克隆抗体

中文名称：兔抗 PLEKHG6 多克隆抗体

英文名称： Anti-PLEKHG6 rabbit polyclonal antibody

别名： MyoGEF

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： PLEKHG6

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	PLEKHG6 functions as a guanine nucleotide exchange factor or activating the small GTPase RHOA, which, in turn, induces myosin filament formation. It activates RHOA but not activate RAC1, or to a much lower extent than RHOA and RHOA. Part of a functional unit, involving MyoGEF, MYH10 and RHOA, at the cleavage furrow to advance furrow ingression during cytokinesis. In epithelial cells, required for the formation of microvilli and membrane ruffles on the apical pole. Along with EZR, required for normal macropinocytosis.
Applications:	ELISA, WB, IHC

Name of antibody:	PLEKHG6
Immunogen:	Fusion protein of human PLEKHG6
Full name:	pleckstrin homology domain containing, family G (with R hoGef domain) member 6
Synonyms :	MyoGEF
SwissProt:	Q3KR16
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human lung cancer and human cervical cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	89 kDa
WB Positive control:	231 cells
WB Recommended dilution:	500-2000



