

## 兔抗 ZC3H7A 多克隆抗体

中文名称：兔抗 ZC3H7A 多克隆抗体

英文名称： Anti-ZC3H7A rabbit polyclonal antibody

别名： zinc finger CCCH-type containing 7A; ZC3H7; HSPC055; ZC3HDC7

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： ZC3H7A

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

The zinc finger CCCH domain-containing protein 7A (ZC3H7A), also known as ZC3H7, HSPC055 or ZC3HDC7, is a 971 amino acid protein that contains a C3H1-type zinc finger domain, three C3H1-type zinc fingers and three TPR repeats. Belonging to the ZC3H12 family, ZC3H7A localizes to the nucleus. Existing as two alternatively spliced isoforms, ZC3H7A is encoded by a gene located on human chromosome 16p13.13. Chromosome 16 makes up nearly 3% of human cellular DNA and is associated with a variety of genetic disorders. The GAN gene is located on chromosome 16 and, with mutation, may lead to giant axonal neur

	<p>opathy, a nervous system disorder characterized by increasing malfunction with growth. The rare disorder Rubinstein-Taybi syndrome is also associated with chromosome 16, though through the CREBBP gene which encodes a critical CREB binding protein. Signs of Rubinstein-Taybi include mental retardation and predisposition to tumor growth and white blood cell neoplasias. Crohn's disease is a gastrointestinal inflammatory condition associated with chromosome 16 through the NOD2 gene.</p>
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	ZC3H7A
<b>Immunogen:</b>	Fusion protein of human ZC3H7A
<b>Full name:</b>	zinc finger CCCH-type containing 7A
<b>Synonyms:</b>	ZC3H7; HSPC055; ZC3HDC7
<b>SwissProt:</b>	Q8IWR0
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer and Human cervical cancer
<b>IHC Recommend dilution:</b>	50-300



