

兔抗 ZC3H8 多克隆抗体

中文名称：兔抗 ZC3H8 多克隆抗体

英文名称：Anti-ZC3H8 rabbit polyclonal antibody

别名：Fliz1; ZC3HDC8

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：ZC3H8

反应种属：Human

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	Acts as a transcriptional repressor of the GATA3 promoter. Sequence-specific DNA-binding factor that binds to the 5'-AGGTCTC-3' sequence within the negative cis-acting element intronic regulatory region (IRR) of the GATA3 gene. By similarity. Induces thymocyte apoptosis when overexpressed, which may indicate a role in regulation of thymocyte homeostasis.
Applications:	WB, IHC
Name of antibody:	ZC3H8
Immunogen:	Synthesized peptide derived from internal of human ZC3H8.

Full name:	zinc finger CCCH-type containing 8
Synonyms :	Fliz1; ZC3HDC8
SwissProt:	Q8N5P1
IHC positive control:	Human colon carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	34 kDa
WB Positive control:	HepG2 cells lysate
WB Recommended dilution:	500-3000



